



Amarok V6 Range

4 Cylinder Range

Dual Cab 4x2:

- 16-inch steel wheels
- · Height adjustable front seats
- · Power mirrors with heating function
- · Power windows with one-touch up and down
- · Climatic air-conditioning
- · Rear bench seat with 3 child seat anchor points
- Heavy duty rubber flooring
- · Centre console storage compartment with lid
- 3 point seat belts and headrests for all seating positions
- High level stop light incorporating lighting for tray area
- · Leather-covered multi-function steering wheel
- · Instrument cluster with multi-function Plus display
- · Cruise control
- Composition Media system
- App-Connect[~] USB interface
- · Multi-Collision Braking system*

Core 4x4:

- Dual Cab 4x2, Plus:
- · Selectable or Permanent 4x4 (4MOTION) systems
- · Engine under body protection (plate type)
- · 16-inch Korama alloy wheels
- · Pirelli ATR tyres (245/70 R16)
- · Rear bumper, with integrated step
- · Rear parking sensors
- · Rear View Camera*
- · Core 4x4 decal on tub sides

Standard equipment Amarok Core V6

Exterior

- 17-inch Posadas alloy wheels
- · Radiator grille with chrome element
- Extended wheel arches
- Front fog lights

Interior

- · Austin cloth seat upholstery
- Instrument cluster with multi-function Plus display
- · Leather-covered multi-function steering wheel
- · Cruise control
- · Single Zone air conditioning system
- · Composition Media audio system
- App-Connect[~] USB interface
- Rear parking sensors with Rear View Camera*
- Multi-Collision Braking system*

Standard equipment Amarok Sportline V6

Core V6, plus:

Exterior

- 18-inch Manaus alloy wheels
- · Radiator grille with chrome elements
- · Comfort closing rear tailgate
- · Colour-coated exterior mirrors, partially chromed
- · Rear privacy glass
- · Rear bumper, chromed, with integrated step
- Tinted tail lights

Interior

- · Salipra cloth seat upholstery
- · Dash panel with decorative inserts in bright silver
- · Dual-zone Climatronic air conditioning system
- Four 12V sockets, (three in cabin and one in tray)
- Front and rear parking sensors with Rear View Camera*



Standard Equipment Standard equipment Amarok Highline V6 Amarok Ultimate V6 580 Sportline V6, plus: Highline V6 580 Black, plus: Exterior Exterior · Silver 20-inch Talca alloy wheels · Bi-xenon headlights with LED daytime running lights Stainless steel styling bar (long design) · Stainless steel styling bar · Stainless steel side steps with LED lighting · Special cargo area coating Stainless steel side steps Front fog lights with cornering function Interior Interior Nappa leather appointed upholstery# in black · Discover Media navigation system · ergoComfort seats for driver and front passenger · Alarm with interior monitoring (14-way electric, 2-way manual) · Safelock (deadlocking) system • Instrument cluster with Premium Colour multi-function display · Leather-covered multi-function steering wheel with paddle shifters · Stainless steel pedals Tailored carpet mats Highline V6

Standard Equipment Amarok Highline V6 580 Black

Highline V6, plus:

- TDI580 engine with 190kW of power (200kW on over-boost) and 580Nm of torque

Exterior

- · Black 20-inch Talca alloy wheels
- · Gloss black styling bar (long design)
- · Gloss black side bars (no step)
- · Gloss black painted exterior mirrors
- · Gross black and chrome grille

Interior

· Black headlining & pillar trims



When Power Is Everythir

The legendary Volkswagen
2.0L TDI engine
The 2.0L TDI 4-cylinder engine

With up to 132kW of power and 420Nm of torque, the 2.0 TDI has proven itself as worksite and bush trail ready. With not one but two Turbo-chargers, this Bi-turbo unit delivers power and torque from super low revs ensuring a smoother and more enjoyable driving experience.

2.0L TDI400 (132kW, 400Nm)

Fuel consumption 8.0L / 100km**

2.0L TDI420 (132kW, 420Nm)

4x2: Fuel consumption 8.4L / 100km**

4x4: Fuel consumption 8.5L / 100km**



3.0L TDI500 (165kW, 500Nm)
Overboost function up to 180kW

Fuel consumption: 9.7L / 100km**

CO₂ emissions: 254 g/km

3.0L TDI550 (165kW, 550Nm) overboost function up to 180kW

Fuel consumption: 9.1L / 100km**

CO₂ emissions: 240 g/km

3.0L TDI580 (190kW, 580Nm) overboost function up to 200kW

Fuel consumption: 8.9L / 100km**

CO₂ emissions: 234 g/km

Powerful like no other The V6 3.0L TDI engine

Available in two power outputs producing 165kW and 550Nm of torque (500Nm for manual transmissions) or 190kW and 580Nm of torque. The V6 turbodiesel engine has more than enough power reserves even in the most demanding situations. With Overboost, you can ramp up the power even more when you need it most with a quick burst of either up to 180kW or 200kW, depending on your engine, while also prolonging maximum torque delivery. Optimised in 3rd and 4th gear, the Overboost function increases the engine's output for up to ten seconds, making it ideal for overtaking.





01 Permanent 4x4. This always-on 4x4 system with Torsen differential excels on all surfaces. Torque is mechanically distributed from front to rear (40:60) with the ability to drive distribution to each wheel optimised by traction control intervention.

O2 Selectable 4x4. The 4x4 drive system with a transfer case enables the front wheels to be electrically engaged and disengaged while driving. On steep inclines or longer stretches of challenging terrain an additional reduction gear set can also be engaged (available with manual transmission only).



03 8-speed automatic gearbox. The Amarok is the only vehicle in its class that offers the flexibility and performance of the 8-speed automatic transmission. The 1st gear is designed for off-road driving, whereas the 8th gear is optimised for economy driving at highway speeds.

04 6-speed manual gearbox and Selectable 4x4 4MOTION (not illustrated). The robust 6-speed manual gearbox offers responsive and smooth gear changes for all driving conditions. The manual transmission is combined with the dual range Selectable 4x4 system (available on Core models only).









- Ol Side slope angle. The broad track of the Amarok provides enormous stability even when driving along slopes with up to a 50° incline.¹
- **D2 High-climbing ability.** The Amarok handles 100% (45°) grades with up to maximum payload.¹
- **Off-road ABS.** Once activated, the wheels lock when braking on loose surfaces with a larger interval, essentially creating a wedge which significantly reduces the braking distance. This noticeably increases the driving safety.
- **Q4** Approach/departure angle and wading depth. The maximum slope angle for the new Amarok is 28.0° at the front and 23.6° at the rear. It can handle pools with a wading depth of 500 mm.

King

100% incline, 50° gradient and off-road ABS Outstanding all terrain performance

Asphalt, dirt, gravel. In the Amarok you will experience the ultimate in driving capability on almost any terrain. It combines high ground clearance with rigid body stability along with the proven 4MOTION all-wheel drive system. This vehicle also comes into its own on the road, with the Torsen® differential significantly increasing traction while cornering.











01 Composition Media system

The crystal clear 6.33" colour touch screen is packed with the latest multimedia functions, including App-Connect[~] and Bluetooth[®]. For added convenience the telephone functions can be voice activated. DC CE CE6 SL



03 Discover Media navigation system.

In addition to the functions of the Composition Media radio system with six loud speakers, there is a second integrated SD-card slot which is compatible with the SD-card with the map data. | HL | UL | HLB |



02 App-Connect[~]

With this function, selected apps are mirrored from your smart phone to the touch screen of the radio or navigation system display via the USB port and controlled using the touchscreen.

| DC | CE | CE6 | SL | HL | HLB | UL |




04 Voice Control.

You are free to operate the telephone and audio functions without taking your hands off the steering wheel. Furthermore, you can call up virtually all menus and notifications on the radio using voice control.

| DC | CE | CE | CE6 | SL | HL | HLB | UL |

O5 Climatronic air conditioning. This system offers 2-zone temperature control for the driver and front passenger. Depending on the intensity of the sun's rays and the outside temperature, the air conditioning adds more or less cool air accordingly. |SL|HL| HLB|UL|





Ol Cargo area coating. The UV-resistant special coating in anthracite provides excellent protection against mechanical and chemical wear.



O2 Load light. The exterior load light helps illuminate the tray, ideal for early starts or late finishes

| DC | CE | CE6 | SL | HL | HLB | UL |


The smoothest moving tailgate. The comfort feature makes opening and closing the tailgate a breeze, while still rated to carry up to 200kg. | SL | HL | HLB | UL |

12V socket (not illustrated). A 12V socket is fitted on the inside of the left side panel.

| SL | HL | HLB | UL |









Safety systems*.



03 Automatic Post-Collision Braking System. Triggers braking after a collision, with the aim of preventing secondary collisions. After a short delay, the vehicle begins phased braking action down to 10 km/h. | DC | CE | CE6 | SL | HL | HLB | UL |



Electronic Stability Programme (not illustrated). Prevents under or over-steering via targeted braking of individual wheels. | DC | CE | CE6 | SL | HL | HLB | UL |



Front and head/thorax airbags (not illustrated) for the driver and front passenger. | DC | CE | CE6 | SL | HL | HLB | UL |



Height-adjustable head restraints (not illustrated) and 3-point seatbelts are featured throughout, with pretensioners on the front seats. | DC | CE | CE6 | SL | HL | HLB | UL |

332mm disc brakes in the front, 300mm disc brakes in the rear (not illustrated). Offer an optimum performance during high brake loads. | CE6 | SL | HL | HLB | UL |

Trailer Stabilisation (not illustrated). Configured for the Genuine Volkswagen tow bar wiring to compliment the Electronic Stability Programme, helping to reduce trailer sway. |DC|CE|CE6|SL|HL|HLB|UL|



Driver assistance systems*.



04 Static cornering light. Ensures optimal visibility in poor weather conditions. The fog light nearest to the corner illuminates the roadside when turning. | HL | HLB | UL |



05 Rear View Camera. Simplifies reversing by showing a limited view of the area behind the vehicle on the display. Static guidelines facilitate the parking process. | DC | CE | CE6 | SL | HL | HLB | UL |

Hill Start Assist (not illustrated). Prevents the vehicle from rolling back on inclines and makes it easier to start off on uphill slopes. | DC | CE | CE6 | SL | HL | HLB | UL |



Hill Descent Assist (not illustrated). Allows you to drive down slopes in a safe, controlled way by governing the engine speed and applying the brakes, if necessary. | CE | CE6 | SL | HL | HLB UL



Park Pilot (not illustrated). Emits audible warnings when obstacles are detected behind the vehicle when parking. | DC | CE | CE6 |

Emits audible warnings at the front and rear of the vehicle when parking. | SL | HL | HLB | UL |



Cruise control (not illustrated). As of a speed of 30 km/h, it maintains the set speed depending on uphill and downhill inclines. | DC | CE | CE6 | SL | HL | HLB | UL |



Tyre Pressure Monitoring System (not illustrated). Warns when there is a deviation in tyre pressure and indicates the driver to check tyre pressure as soon as possible. | HL | HLB | UL |



Mechanical rear differential lock (not illustrated). When activated ensures both rear wheels receive the same amount of power and rotations. This offers optimal traction on sandy or slippery surfaces. | DC | CE | CE6 | SL | HL | HLB | UL |



O1 Roll cover. The lockable load compartment cover protects the cargo from prying eyes. Accessory | DC | CE | CE6 | SL | HL | UL |

O2 Styling bar (long). This impressive styling bar enhances the look of the Amarok. The Ultimate model has a stainless steel finish, while the Highline 580 Black model has a gloss black bar. | HLB | UL |





Technical Specifications - 4 Cylinder Range

Engine	TDI420 4x2	TDI400 4x4	TDI420 4x4
Туре	4 cylinder Bi-turbo diesel, DOHC, 16 valv	ve	
Cubic capacity, litres/cc	2.0 / 1,968		
Max power, kW @ rpm	132 @ 4,000	132 @ 4,000	132 @ 4,000
Max torque, Nm @ rpm	420 @ 1,750	400 @ 1,500 - 2,250	420 @ 1,750
Compression ratio	16.5:1		
- uel system	Common Rail Direct Injection		
Exhaust emission control	Water-cooled exhaust gas recirculation	(EGR), catalytic converter and diesel particulate filter (DP	F)
Fuel type (Recommended)	Diesel EN 590		
Transmission	8 Speed Automatic	6 Speed Manual	8 Speed Automatic
Driven wheels	4x2 Rear Wheel Drive	4x4 (4MOTION) Selectable	4x4 (4MOTION) Permanent
Gear Ratios	Final Drive: 3.70	Final Drive: 4.10	Final Drive: 3.70
	1st Gear: 4.714	1st Gear: 3.583	1st Gear: 4.714
	2nd Gear: 3.143	2nd Gear: 1.889	2nd Gear: 3.143
	3rd Gear: 2.106	3rd Gear: 1.114	3rd Gear: 2.106
	4th Gear: 1.667	4th Gear: 1.00	4th Gear: 1.667
	5th Gear: 1.285	5th Gear: 0.564	5th Gear: 1.285
	6th Gear: 1.00	6th Gear: 0.473	6th Gear: 1.00
	7th Gear: 0.839		7th Gear: 0.839
	8th Gear: 0.667		8th Gear: 0.667
	Reverse Gear: 3.300	Reverse Gear: 3.250	Reverse Gear: 3.300
Fuel consumption**			
Combined, L/100km	8.4	8.0	8.5
Urban, L/100km	10.0	9.2	10.1
Extra Urban, L/100km	7.6	7.3	7.6
CO₂ emissions, g/km	224	211	224
Fuel tank capacity, litres	80	80	80
Towbar Capacity*			
Braked, kg	3,000		
Unbraked, kg	750		
Towball load limit, kg	300		

^{**}Fuel consumption figures according to Australian Design Rules (ADR) 81/02 derived from laboratory testing. Factors including but not limited to driving style, road and traffic conditions, environmental influences, vehicle condition and accessories fitted, will in practice in the real world lead to figures which generally differ from those advertised. Advertised figures are meant for comparison amongst vehicles only.

[#]When fitted with Volkswagen Genuine Tow Bar. Towing capacities are applicable to Volkswagen Genuine Accessory Tow Bar. Towing capacity figures are maximum figures and actual towing capacity depends on factors including the laden mass of the vehicle, driving conditions and fitment of any accessories. Volkswagen Group Australia does not endorse or will not be held liable for any claim, loss or damage arising from the use or fitment of electronic trailer brakes.


Technical Specifications - 4 Cylinder Range

Running Gear	2.0 litre, 4 cylinder TDI		
Suspension			
Front axle	Transverse link with A-frame arm o	louble wishbone and anti-roll bar	
Rear axle	Multi-layer rigid axle with leaf spri	ng and stabiliser bar	
Steering	Power assisted rack & pinion steer	ing	
Brake systems	Anti-lock Braking System (ABS) with	Electronic Brake-pressure Distribution (EBD), Brake Ass	ist and Electronic Stabilisation Program (ESP)
Brakes			
Front / Rear, mm	303, Ventilated Discs / 292, Drum		
Brake systems	ESP, off-road ABS, ASR, EDL, Hill H	older, Brake Assist, Traction Control and Off-Road AE	S including Hill Descent
Turning circle, m	12.95		
Weights	TDI420 4x2 Core	TDI400 4x4 Core	TDI420 4x4 Core
Unladen Mass, kg	1,885	2,007	2,022
Payload, kg	1,155	1,033	1,018
Gross Vehicle Mass (GVM) kg	3,040	3,040	3,040
Gross Combined Mass (GCM) kg	5,550	5,550	5,550
Roof load, kg	100	100	100

Dimensions

Exterior Dimensions	TDI420 4x2	TDI400 Core 4x4	TDI420 Core 4x4
Overall length mm	5,181	5,254	5,254
Width mm	1,944	1,944	1,954
Width incl. mirrors mm	2,228	2,228	2,228
Height mm	1,834	1,834	1,878^
Wheelbase mm	3,095	3,095	3,095
Ground clearance mm	230	226	226
Entry angle	28.0	28.0	28.0
Departure angle	28.0	23.6	23.6
Ramp angle	23.0	23.0	23.0
Wading depth, mm	500	500	500
Tray Dimensions			
Length, mm	1,555		
Width, mm (Max.)	1,620	<u> </u>	<u> </u>
Width, mm (between wheel arches)	1,222		
Tailgate opening, mm (Max.)	1,364	·	·
Height (tailgate), mm	508	<u>-</u>	
Height from ground, mm	780		

Amarok Dual Cab



[†]Payload is defined as the Gross Vehicle Mass (GVM) minus the Kerb Mass. Payload is the maximum combined weight of occupants, cargo, added structures and tow ball down weight (when towing). GVM must not be exceeded.

^{**}Height shown without sports bar.


Technical Specifications - 6 Cylinder Range


Engine	3.0 litre V6 TDI500	3.0 litre V	5 TDI550		3.0 litre V6 TDI580			
Туре	6 cylinder turbo diesel, 24 valve	6 cylinder turbo diesel, 24 valve			6 cylinder turbo dies	el, 24 valve		
Cubic capacity, litres/cc	3.0 / 2,967	3.0 / 2,967	1		3.0 / 2,967			
Max power, kW @ rpm	165 @ 3,250 - 4,500	165 @ 2,5	00 - 4,500		190 @ 3,250 – 4,500			
Max torque, Nm @ rpm	500 @ 1,250 - 3,000	550 @ 1,5	00 - 2,500		580 @ 1,400 - 3,000)		
Compression ratio	17.0:1	17.0:1			17.0:1			
Fuel system	Bosch EDC17 electronic engine control unit	Bosch EDC	17 electronic eng	ine control unit	Bosch EDC17 electror	nic engine control u		
Exhaust emission control	Water-cooled exhaust gas recirculation (EGR), catalytic converter and diesel particulate filter (DPF)	(EGR), cata	led exhaust gas i alytic converter a e filter (DPF)		Water-cooled exhaus (EGR), catalytic conve particulate filter (DPI	erter and diesel		
Fuel type (Recommended)	Diesel EN 590	Diesel EN	590		Diesel EN 590			
Transmission	6 Speed Manual	8 Speed A	utomatic		8 Speed Automatic			
Driven wheels	4x4 (4MOTION) Selectable	4x4 (4M01	ION) Permanent		4x4 (4MOTION) Perm	nanent		
Gear Ratios	1st Gear: 5.070	1st Gear: 4	.714		1st Gear: 4.714			
	2nd Gear: 2.614	2nd Gear:	3.143		2nd Gear: 3.143			
	3rd Gear: 1.524	3rd Gear: 2	2.106		3rd Gear: 2.106			
	4th Gear: 1.000	4th Gear: 1	1.667		4th Gear: 1.667			
	5th Gear: 0.770	5th Gear: 1	1.285		5th Gear: 1.285	th Gear: 1.285		
	6th Gear: 0.657	6th Gear: 1	1.00		6th Gear: 1.00			
	Reverse Gear: 4.823	7th Gear: 0	0.839		7th Gear: 0.839			
	·	8th Gear: 0	0.667		8th Gear: 0.667			
		Reverse G	ear: 3.317		Reverse Gear: 3.317			
Performance#								
0 - 100km/h, seconds	xx	7.9			7.3			
Fuel consumption**								
Combined, L/100km	9.7	9.1			8.9			
Urban, L/100km	11.4	10.6			9.6			
Extra Urban, L/100km	8.6	8.3			8.5			
CO₂ emissions, g/km	254	240			234			
Fuel tank capacity, litres	80	80			80			
Towbar Capacity≠	Core V6 Manual	Core V6	Sportline V6	Highline V6	Highline 580 Black	Ultimate V6		
Braked kg	3,000	3,500	3,500	3,500	3,500	3,500		
Unbraked, kg	750	750	750	750	750	750		
Towball load limit, kg	300	300	300	300	300	300		


[#]Please note figures are sourced from overseas data where equipment levels by model variant may vary.

Technical Specifications

#When fitted with Volkswagen Genuine Tow Bar. Towing capacities are applicable to Volkswagen Genuine Accessory Tow Bar. Towing capacity figures are maximum figures and actual towing capacity depends on factors including the laden mass of the vehicle, driving conditions and fitment of any accessories. Volkswagen Group Australia does not endorse or will not be held liable for any claim, loss or damage arising from the use or fitment of electronic trailer brakes.







^{**}Fuel consumption figures according to Australian Design Rules (ADR) 81/02 derived from laboratory testing. Factors including but not limited to driving style, road and traffic conditions, environmental influences, vehicle condition and accessories fitted, will in practice in the real world lead to figures which generally differ from those advertised. Advertised figures are meant for comparison amongst vehicles only.

#When fitted with Volkswagen Genuine Tow Bar. Towing capacities are applicable to Volkswagen Genuine Accessory Tow Bar. Towing capacity depends on factors in-


Technical Specifications - 6 Cylinder Range

Running Gear	3.0 litre V6 TDI500	3.0 litre V6 TD	1550		3.0 litre V6 TDI580		
Suspension		_					
Front axle	Transverse link with A-frame arm, double wishbone and anti-roll bar	Transverse link anti-roll bar	with A-frame arm, do	uble wishbone and	Transverse link with A-frame arm, double wishbone a anti-roll bar		
Rear axle	Multi-layer rigid axle with leaf spring and stabiliser bar	Multi-layer rig	id axle with leaf spring	and stabiliser bar	Multi-layer rigid axle with	n leaf spring and stabiliser bar	
Steering	Power assisted rack & pinion steering	Power assisted	d rack & pinion steering		Power assisted rack & pir	nion steering	
Brakes							
Front / Rear, mm	Ventilated, 332 / Ventilated, 300	Ventilated, 332 / Ventilated, 300			Ventilated, 332 / Ventilated, 300		
Brake systems	ESP, ABS, ASR, EDL,Hill Holder, Brake Assist, Traction Control and Off-Road ABS including Hill Descent		ESP, ABS, ASR, EDL, Hill Holder, Brake Assist, Traction Control and Off-Road ABS including Hill Descent		ESP, ABS, ASR, EDL, Hill Holder, Brake Assist, Traction Control and Off-Road ABS including HillDescent		
Turning circle, m	12.95	12.95			12.95		
Weights	Core V6 Manual	Core V6	Sportline V6	Highline V6	Highline 580 Black	Ultimate V6	
Unladen Mass, kg	2,076	2,091	2,104	2,147	2209	2,244	
Payload, kg ‡	1,004	989	976	933	871	836	
Gross Vehicle Mass (GVM), kg	3,080	3,080	3,080	3,080	3,080	3,080	
Gross Combined Mass (GCM), kg	5,550	6,000	6,000	6,000	6,000	6,000	
Roof load, kg	100	100	100	100	100	100	

Dimensions

Exterior Dimensions	3.0 litre V6 TDI500	3.0 litre V6 TDI550	3.0 litre V6 TDI580
Overall length, mm	5,254	5,254	5,254
Width, mm	1,954	1,954	1,954
Width incl. mirrors, mm	2,228	2,228	2,228
Height, mm (HL)	1,878	1,878	1,878
Height, mm (UL)	1,834	1,834	1,834
Wheelbase, mm	3,095	3,095	3,095
Ground clearance, mm	192	192	192
Entry angle	28.0°	28.0°	28.0°
Departure angle	23.6°	23.6°	23.6°
Ramp angle	23.0°	23.0°	23.0°
Wading depth, mm	500	500	500
Track Front/Rear, mm	1,654 / 1,658	1,654 / 1,658	1,654 / 1,658
Tray Dimensions			
Length, mm	1,555	1,555	1,555
Width, mm (Max.)	1,620	1,620	1,620
Width, mm (between wheel arches)	1,222	1,222	1,222
Tailgate opening, mm (Max.)	1,364	1,364	1,364
Height (tailgate,) mm	508	508	508
Height from ground, mm	780	780	780

Amarok Dual Cab (with wheel arch flares and rear step bumper)



[°] Track figures are based on rim off-set of 45

[‡]Payload is defined as the Gross Vehicle Mass (GVM) minus the Kerb Mass. Payload is the maximum combined weight of occupants, cargo, added structures and tow ball down weight (when towing). GVM must not be exceeded.

^{**}Height shown without sports bar.

Volkswagen Accessories

Volkswagen Genuine Accessories ensures your Amarok remains 100% Volkswagen. The extensive range of Amarok Genuine Accessories provides you with the opportunity to adapt your Amarok even more precisely to your individual needs. From interior to exterior solutions, styling options, Volkswagen Genuine Accessories perfectly compliments your Amarok.

For the full range, please visit www.volkswagen.com.au/en/owners/volkswagen-accessories.html









02 18" Durban alloy wheelPart.no 2H6071498Z98 (matte black)



03 17" Rocadura alloy wheelPart.no 2H0071497AFZZ (gloss machined)



04 Roof bars
Part.no VGA071126AM17 (Flush mount)
Part.no VGA071126AM17C (Commercial)



05 Black Side steps
Part.no 2H0071691L041



06 Black Styling bar Part.no 2H0071000ENP1



07 Towbar

Part.no 2H6092134 (3.5 Tonne towbar for Amarok V6 auto only - MY18 onwards) Part.no 2H0092134A (3.0 Tonne towbar for Amarok with bumper) Part.no 2H0092134B (3.0 Tonne towbar for Amarok without bumper)



08 Amarok Platform system

Part.no VGA2H6421AM17



09 Amarok roll cover



08 Tonneau Cover

Part.no VGA2H7071778 (to suit without sports bars) Part.no VGA2H7071778A (to suit with highline sports bars)



11 Cargo Manager

Part.no 2H6061166 (Only compatible with the roll cover)



12 Amarok 5-piece liner

Part.no VGA2H7061164



13 Amarok EZDown® tailgate damper

Part.no VGA2H00ED0800 (with torsion bar)
Part.no VGA2H00ED0300 (without torsion bar)



14 Amarok Alloy tray range



15 Amarok bonnet protector

Part.no VGA823010S (tinted black) Part.no VGA823010 (clear)



16 Rubber floor mats set

Part.no 2H206150282V (front) Part.no 2H006151282V (rear)



17 Slimline Weathershields (front and rear)

Part.no VGA845015S (tinted/black) Part.no VGA845015 (clear)



18 Running boards

Part.no 2H0071691B

Seat upholstery









- O1 Austin cloth seat upholstery in Titanium Black and Moon Rock Grey | DC | CE | CE6 |
- 02 Salipra cloth seat upholstery in Palladium | SL | HL | HLB |
- 03 Vienna leather seat upholstery# in Palladium | HL | HLB |
- **04 Nappa** leather seat upholstery# in Black with seams in Ceramique | **UL**|

Wheels















- **05** Steel wheels, 6.5J x 16. With 205 R 16 tyres. | **DC** |
- **06 Korama** alloy wheel, 6.5 J x 16. With 245/70 R 16 tyres. | **CE** |
- **07 Posadas** alloy wheel, 8.0 J x 17. With 245/65 R 17 tyres. | **CE6** |
- **08** Manaus alloy wheel, 7.5 J x 18. With 255/60 R 18 tyres. | **SL** | **HL** |
- 09 Cantera alloy wheel, 8.0 J x 19. With 255/55 R 19 tyres. | HL |
- 10 Talca alloy wheel, gloss black finish, 8.0 J x 20. With 255/50 R 20 tyres. | HLB |
- 11 Talca alloy wheel, 8.0 J x 20. With 255/50 R 20 tyres. | UL |

[#]Leather appointed seats have a combination of genuine and artificial leather, but are not wholly leather.

Paint finishes

01 Candy White Solid I B4B4 I | DE | CE | CE6 | SL | HL | HLB | UL |

02 Mojave Beige Metallic I 1B1B I DE CE CE6 SL HL

03 Reflex Silver Metallic 18E8E1

04 Ravenna Blue Metallic* I 5Z5Z I HLB UL

05 Indium Grey Metallic I X3X3 I DE CE CE6 SL HL HLB UL

06 Starlight Blue Metallic I 3S3S I DE CE CE6 SL HL

07 Deep Black Pearl Effect | 2T2T| DE CE CE6 SL HL HLB UL

08 Ravenna Blue Matte*+ 195471 UL

09 Indium Grey Matte*+ 197091 UL

10 Tornado Red Solid I G2G2 I HL HLB UL

11 Peacock Green Metallic* | 18U8U | UL























^{*}Available on Amarok Ultimate model only.

[#]Leather appointed seats have a combination of genuine and artificial leather, but are not wholly leather.

⁺Matte paint requires special care. If matte paint is not cleaned and maintained properly, the finish may be altered or damaged.

Please note that Metallic, Matte and Pearl affect paint are optional at additional cost. The print process does not allow for exact reproduction of the exterior or the upholstery colours. Not all colours are available with optional body coloured bumpers and/or roof height increases. Please contact your Volkswagen Dealer for further information on colours and upholstery combinations.


Volkswagen Choice



Guaranteed Future Value

Naturally we understand that your Volkswagen represents a valuable investment, so we understand that you want to maintain it in premium condition. Volkswagen Choice[^] is a finance program tailored to the requirements of Volkswagen owners by providing assurance around your Volkswagen's future value[^], whilst offering simple monthly instalment financing options.

Whether you are selecting your new Volkswagen for business or personal use, you can choose the contract term that best suits your requirements. Enjoy the confidence that comes from having locked in a minimum value up front to be attributed to your vehicle at the end of your contract. There are also no account keeping fees with a fixed interest rate.



Trade in

If you wish to trade-in your Volkswagen for a new vehicle, all you need to do is return it to the dealership. If the trade-in value is higher than the Guaranteed Future Value, you can use this equity towards your new vehicle purchase.

Retain

If you prefer to retain your Volkswagen, simply let us know. Provided that you also meet the relevant payment obligations under your contract, you can purchase your vehicle outright for the Guaranteed Future Value price locked in at the start of the contract. Then your Volkswagen is yours to keep. Or you can choose to refinance your balloon at the end of the term.

Return

All you need to do is hand your car back and, if the vehicle meets the agreed kilometre and fair wear and tear requirements, you will have no more to pay.

[^]The Volkswagen Choice Program consists of an option to return the vehicle to Volkswagen Financial Services (VFS)** at the end of the term and require VFS to purchase the vehicle at price known as the Guaranteed Future Value (GFV) as determined by VFS. At the end of the term, you can elect to: (1) trade-in the vehicle; (2) exercise the option to return the vehicle by paying the GFV, which is a lump sum owed to VFS at the end of the loan term after all repayments have been made. You will be liable for any loan contract deficit and additional charges, if you exceed the nominated kilometre allowance and/or the vehicle is not in an acceptable on new and demonstrator Volkswagen vehicles for selected models. Contact your nearest Volkswagen dealer to verify eligible vehicles for this program. Fleet, government, rental buyers, hire car and chauffeur companies excluded.

^{**}VFS is trading name of Volkswagen Financial Services Pty Ltd ABN 20 097 071 460, Australian Credit Licence 389344.





5 years

Unlimited Kilometre Warranty

At Volkswagen, we pride ourselves on the highest quality standards that come with German engineering.

We back this commitment with a 5 year unlimited kilometre warranty on all new Volkswagen vehicles*.



Every new Volkswagen comes with a 1 year Roadside Assist membership[^].

That's 24 hour roadside assistance, emergency accommodation, car rental and towing as well as property and other assistance, all included for added peace of mind.



Care Plans

Volkswagen Care Plans† have you covered for your first 3 or 5 scheduled services, providing you significant savings off the total Assured Service Pricing RRP. It's convenient, hasslefree scheduled servicing easily available for purchase at your local Volkswagen Dealer.



Assured Service Pricing# gives you the transparency of knowing how much your service will cost up front.

Our Volkswagen Dealers have access to the latest diagnostic equipment and tools. Plus, they use Volkswagen Genuine Parts® to ensure your Volkswagen stays a Volkswagen.

You're in safe hands at your Volkswagen Dealer when it comes to servicing.

^{*}Conditions and exclusions apply, see https://www.volkswagen.com.au/en/owners/warranty.html. Your rights under this warranty are provided in addition to, and in some cases overlap with, consumer guarantees under the Australian Consumer Law and do not limit or replace them.

[^]Volkswagen Roadside Assist is provided by AWP Australia Pty Ltd ABN 52 097 227 177 trading as Allianz Global Assistance, under an arrangement with Volkswagen Group Australia Pty Limited ABN 14 093 117 876. Conditions and exclusions apply, see https://www.volkswagen.com.au/en/owners/roadside-assist.html.

[†]Volkswagen Care Plans are available at participating Volkswagen Dealers for all models and covers standard items as contained in each scheduled service interval only. These Care Plans can only be purchased prior to the first scheduled service and up to 22,500 km/15 months (whichever occurs first) for all models except Volkswagen Crafter models, which is 30,000 km/15 months (whichever occurs first). The timeframe takes effect from when the vehicle is first reported in our system as 'sold'. Discount structure varies by model. For details of what is not included in a scheduled service, please refer to the program terms and conditions available here: https://www.volkswagen.com.au/en/owners/volkswagen-care-plans.html #Assured Service Pricing applies to the first 5 standard scheduled services of your vehicle which are scheduled to occur at every 15,000 km/12 month interval (whichever occurs first) or for Volkswagen Crafter models only, 20,000 km/12 month interval (whichever occurs first) or or before 31 December each year, Volkswagen will publish the maximum price for a specified Scheduled Service that will be applicable from, and remain fixed for, the following calendar year only. For details on the Eligible Model List, pricing, items not included and for full terms and conditions, please see https://au.volkswagen.com.au/service-pricing-guide.





The Amarok

Volkswagen Group Australia Pty Ltd 24 Muir Road Chullora NSW 2190 ABN 14 093 117 876

Printed in Australia November 2019 www.volkswagen.com.au

Publication: VWCAMARMY20

Important information

Apple CarPlay® is a registered trade mark of Apple Inc. Android Auto™ is a registered trade mark of Google Inc. MirrorLink® is a registered trade mark of Car Connectivity Consortium LLC. Bluetooth® is a registered trade mark of Bluetooth SIG Inc.

Volkswagen distributed by Volkswagen Group Australia Pty Ltd (ABN 14 093 117 876) of 24 Muir Road Chullora, NSW 2190. Specifications are as planned at November 2019, for Model Year 2020 and are subject to change without notice or obligation. All information is this brochure are correct at the time of publication, however variations may occur from time to time and Volkswagen, in so far as it is permitted by law to do so, shall not be liable in any way as a result of any reliance by any person on anything contained in this brochure. Authorised Volkswagen Dealers will provide up-to-date information on model application, design feature, prices, and availability on request.



Features and Specifications

Safety and security	V6 TDI500 Core	V6 TDI550 Core	V6 TDI550 Sportline	V6 TDI550 Highline	V6 TDI580 Highline Black	V6 TDI580 Ultimate
Airbags						
Driver and front passenger airbags	•	•	•	•	•	•
Driver and front passenger side (head & thorax) airbags	•	•	•	•	•	•
Seat belts						
3 point seat belts for all passengers	•	•	•	•	•	•
Front height adjustable seat belts with pre-tensioners and belt force limiters	•	•	•	•	•	•
Outer rear seat belt pre-tensioners	•	•	•	•	•	•
Visual and acoustic warning for driver seat belt not fastened	•	•	•	•	•	•
Child Restraints						
Child seat top tether anchorage points (3)	•	•	•	•	•	•
ISOFIX child seat anchorage points, outer rear seats	•	•	•	•	•	•
Brakes and Traction Control						
Automatic flashing brake lights activated in emergency braking situation	•	•	•	•	•	•
Electronic Stabilisation Programme (ESP)	•	•	•	•	•	•
Electronic Brake-pressure Distribution (EBD)	•	•	•	•	•	•
Anti-lock Braking System (ABS)	•	•	•	•	•	•
Brake Assist	•	•	•	•	•	•
Anti-Slip Regulation (ASR)	•	•	•	•	•	•
Electronic Differential Lock (EDL)	•	•	•	•	•	•
Auto Hold function	•	•	•	•	•	•
Trailer Sway Stability Control (only with genuine tow bar wiring kit)	•	•	•	•	•	•
Mechanical Differential Lock	•	•	•	•	•	•
Multi-collision brake	•	•	•	•	•	•
Active Roll-over Prevention	•	•	•	•	•	•
Driver Assistance Technology*						
Off-road mode with optimised ABS, ESP, transmission and hill decent control	•	•	•	•	•	•
Parking distance sensors, rear with acoustic warning	•	•	_	_		_
Parking distance sensors, front and rear with acoustic warning	_		•	•	•	•
Optical Parking System (OPS) in radio/navigation display	•	•	•	•	•	•
Rear View Camera (RVC)	•	•	•	•	•	•
Dusk sensing headlight function	0	0	•	•	•	•
Rain sensing wipers	0	0	•	•	•	•

^{*}Safety technologies are designed to assist the driver, but should not be used as a substitute for safe driving practices.

Safety and security	V6 TDI500 Core	V6 TDI550 Core	V6 TDI550 Sportline	V6 TDI550 Highline	V6 TDI580 Highline Black	V6 TDI580 Ultimate
Lighting						
Halogen headlamps	•	•	•	_	_	_
Bi-Xenon headlamps with integrated LED daytime driving lights, automatic self-levelling	_	_	_	•	•	•
Front fog lights	•	•	•	_	_	_
Front fog lights with static cornering lights	_	_	_	•	•	•
Separate headlight and fog light switch	•	•	•	•	•	•
Coming / leaving home function	0	0	•	•	•	•
Internal headlight range adjustment	•	•	•	•	•	•
Rear high mount stop light, LED	•	•	•	•	•	•
Tinted tail lights	_	_	•	•	•	•
Rear fog lamp	•	•	•	•	•	•
Locking						
Lockable rear tailgate with comfort closing	_	_	•	•	•	•
Electronic engine immobiliser	•	•	•	•	•	•
Alarm system with interior monitoring and SAFELOCK	_	_	_	•	•	•
Remote central locking with folding key	•	•	•	•	•	•
Head Restraints						
Rear head restraints height adjustable (3)	•	•	•	•	•	•
Exterior Equipment / Styling						
Roof						
Roof gutter inserts (Black)	•	•	•	•	•	•
Roof bar mounting points	•	•	•	•	•	•
Roof bars	A	A	A	A	A	A
Bicycle, kayak, ski, surfboard and snowboard holders	A	A	A	A	A	Α
Towbar						
Towbar, with removable tongue	A	A	A	A	A	A
Wiring Kit - 7-pin flat trailer connector	A	Α	Α	Α	Α	A
Windows						
Power front / rear, with roll-back function and one touch up-down	•	•	•	•	•	•
Remote operated convenience close and open feature	•	•	•	•	•	•
Heat insulating tinted glass	•	•	•	•	•	•
Dark tinted rear side window and rear window glass, 65% light absorbing			•	•		

Exterior Equipment / Styling	V6 TDI500 Core	V6 TDI550 Core	V6 TDI550 Sportline	V6 TDI550 Highline	V6 TDI580 Highline Black	V6 TDI580 Ultimate
Body Enhancements						
Painted door handles and exterior mirrors		_	•	•	•	•
Chrome radiator grille highlights with two double chrome strips			•	•		•
Chrome radiator grille highlights with single chrome strip	•	•				_
Chrome radiator grille with two gloss black and two chrome strips		_	_	_	•	_
Chrome rear step bumper		_	•	•	_	•
Matte black rear step bumper	•	•	_	_	•	_
Extended wheel arch flares	•	•	•	•	•	•
Side Steps (Stainless Steel)	A	A	A	•	_	_
Side Steps (Stainless Steel) - Illuminated		_	_	_	_	•
Side Bars (Gloss Black) - Without step		_	_	_	•	_
Styling Bar (Stainless Steel) - Standard type	A	A	A	•	_	_
Styling Bar (Stainless Steel) - Long type		_	_	_		•
Styling Bar (Gloss Black) Long type		_	_	_	•	_
Rolling cover (lockable)	A	A	A	A	A	A
Hard tonneau cover (lockable)	A	A	A	A	A	_
Soft tonneau cover	A	A	A	A	A	_
Canopy with side windows and rear door	A	A	Α	A	A	Α
Protection						
Underbody protection (engine) - plate type	•	•	_			_
Underbody protection (engine) - bar type	<u> </u>		•	•	•	•
Mudflaps, front and rear	•	•	•	•	•	•
Durabed tubliner coating		<u> </u>	_			•
Slimline weather shields (set of 4)	A	A	Α	A	A	Α
Bonnet protector - clear / tinted	A	A	Α	A	A	Α
Tubliner - 5 piece	A	A	A	A	A	_
Underbody protection (fuel tank)	A	A	A	Α	A	Α
Wheels and Tyres						
Alloy wheels (Posadas) 17 x 6.5" with 245/65 R17	•	•	_	_	_	_
Alloy wheels (Manaus) 18 x 7" with 255/60 R18		_	•	•	_	_
Alloy wheels (Cantera) 19 x 8" with 255/55 R19				0		_
Alloy wheels (Talca) 20 x 8" with 255/50 R20	_					•
Alloy wheels (Gloss black Talca) 20 x 8" with 255/50 R20	_				•	_
Tyre Pressure Monitoring System (TPMS)			_	•	•	•
Full size steel spare wheel	•	•				_
Full size alloy spare wheel	_		•	•	•	•
Tool kit with vehicle jack	•	•	•	•	•	•
Alloy wheels (various design 18" and 19") Please consult your Volkswagen Dealer for correct wheel and tyre fitment by model	A	A	A	A	A	А

Comfort & Convenience	V6 TDI500 Core	V6 TDI550 Core	V6 TDI550 Sportline	V6 TDI550 Highline	V6 TDI580 Highline Black	V6 TDI580 Ultimate
Air Conditioning						
Dual-zone automatic climate control air conditioning	_		•	•	•	•
Single zone air-conditioning	•	•				_
Cruise Control						
Cruise Control with stalk mounted controls	•	_	•	_ •	•	•
n-Car Entertainment and Technology		_		_		
Composition Media Audio system 6.33" 6.33" colour touch screen display, AM/FM radio with phase diversity tuner, CD player (MP3/WMA compatible). AUX and SD card slot and external USB input. Car menu with convenience and service settings.	•	•	•	-	_	-
Discover Media audio and satellite navigation system 6.33" 6.33" colour touch screen display, AM/FM radio with phase diversity tuner, CD player (MP3/WMA compatible). AUX and SD card slot, external USB input, and four (4) speakers. Car menu with convenience and service settings.	_	_	_	•	•	•
App-Connect [~] USB interface for Apple CarPlay®, Android Auto™ and MirrorLink® in centre console	•	•	•	•	•	•
udio, telephone and Multi-Function Display controls mounted on steering wheel	•	•	•	•	•	•
uxiliary input audio socket in centre console	•	•	•	•	•	•
Bluetooth® phone connectivity with contacts display, operation via touch screen audio unit or Multi-Function Display and Bluetooth® audio streaming	•	•	•	•	•	•
Speakers, front and rear (6)	•	•	•	•	•	•
/oice Control, telephone and navigation functions	•	•	•	•	•	•
nstrumentation						
Multi-Function Display (MFD Plus) monochrome display – driving time, trip length, average and current speed, average and current fuel consumption, distance till empty, speed warning function, vehicle status, audio, telephone, navigation and convenience menus	•	•	•	•	•	_
Multi-Function Display (MFD Premium) colour display and screen transitions with animations – driving time, trip length, average and current speed, average and current fuel consumption, tyre pressure indicator setting, distance till empty, speed warning function, vehicle status, audio, telephone, navigation and convenience menus	-	_	_	_	_	•
12 V socket						
Centre console and dashboard			•	•	•	•
Centre console	•	•	•	•	•	•
econd row centre console	_		•	•	•	•
Cargo area	_		•	•	•	•
nterior Lighting						
nterior lights - door operated with reading lights, front and rear	_		•	•	•	•
nterior lights - door operated with reading lights, front	•	•	_	_	_	_

Comfort & Convenience	V6 TDI500 Core	V6 TDI550 Core	V6 TDI550 Sportline	V6 TDI550 Highline	V6 TDI580 Highline Black	V6 TDI580 Ultimate
Interior Trims						
Aluminium-look decorative inserts in dashboard	_	_	•	•	•	•
Chrome highlight trim to air vent and rotary light switch	_	_	•	•	•	•
Chrome highlights to mirror adjustment and power window switches	_	_	•	•	•	•
Leather covered steering wheel and gearshift knob	•	•	•	•	•	•
Aluminium finish accelerator and brake pedals	_	_	_	_	_	•
Rubber floor covering in cab	•	•	_	_	_	_
Carpet floor covering in cab	_	_	•	•	•	•
Carpet mats, front and rear with decorative stitching	A	A	A	A	A	•
Front and rear, rubber mats	А	Α	A	A	Α	A
Mirrors						
Electric adjusted door mirrors with heating function	•	•	•	•	•	•
Unpainted black exterior mirrors	•	•	_	_	_	_
Colour-painted exterior mirrors with chrome highlights	_	_	•	•	_	•
Gloss black painted exterior mirrors	_	_	_		•	_
Steering Wheel						
3 spoke leather covered steering wheel	•	•	•	•	•	•
Steering wheel mounted gearshift paddles				_		•
Audio, telephone and Multi-Function Display controls	•	•	•	•	•	•
Height and reach adjustable steering wheel	•	•	•	•	•	•
Seating						
Cloth seat upholstery - Austin trim	•	•		_		_
Cloth seat upholstery - Salipra trim			•	•	•	_
Vienna leather appointed seat upholstery#			_	0	0	_
Cloth seat upholstery - micro-fibre				0	0	_
Nappa leather appointed seat upholstery#				_		•
Manual height adjustment - front	•	•	•	•	•	_
ErgoComfort driver's seat with 14-way adjustment with seat cushion tilt adjustment, cushion depth adjustment and electric adjustment for backrest and lumbar	_	_	_	_		•
Individually heated front seats	_	_	_	0	0	•
Rear seat backrest forward folding	•	•	•	•	•	0
Rear seat base split folding (60/40)	•	•	•	•	•	•
Grab Handles						
Roof line folding grab handles (4)	•	•	•	•	•	•
B-pillar fixed grad handles (2)	•	•	•	•	•	•
A-pillar fixed grab handle (1)	•	•	•	•	•	•

#Leather appointed seats have a combination of genuine and artificial leather, but are not wholly leather.

Comfort & Convenience	V6 TDI500 Core	V6 TDI550 Core	V6 TDI550 Sportline	V6 TDI550 Highline	V6 TDI580 Highline Black	V6 TDI58
Storage	Core	Core	Sportille	riigiiiiie	riigiiiiie black	Oitiillate
Centre console armrest with storage compartment	•	•	•	•	•	•
Storage under front seats		- <u>-</u>	•	•	•	_
Door pockets, front and rear	•	•	•	•	•	•
Front seat backrest storage pockets	•	•	•	•	•	•
Driver's and passenger's side vanity mirrors	•	•	•	•	•	•
Compartment with lid in roof console			•	•	•	•
Lockable glove compartment	•	•	•	•	•	•
Rear centre floor cup holders (2)	_		•	•	•	•
Bottle holders in front and rear door pockets	•	•	•	•	•	•
Tray Body						
Lashing rings for load restraining (4)		_ •	•	_ •	_	•
Cargo area light	<u>•</u>	•	•	•	_	•
12 volt socket		_	•	•	•	•
Optional Equipments						
Interior						
Vienna leather appointed seat upholstery#		_	_	0	0	_
Micro-fibre seat upholstery		_	_	0	0	_
Individually heated front seats		_		0	0	•
Paint						
Metallic, Pearl or Matte effect paint finish	0	0	0	0	0	0

Technical Specification

Engine	3.0 litre V6 TDI500	3.0 litre V6 TDI550	3.0 litre V6 TDI580
Туре	6 cylinder turbo diesel, 24 valve	6 cylinder turbo diesel, 24 valve	6 cylinder turbo diesel, 24 valve
Installation	Longitudinal	Longitudinal	Longitudinal
Cubic capacity, litres/cc	3.0 / 2,967	3.0 / 2,967	3.0 / 2,967
Bore/stoke, mm	83.0 / 91.4	83.0 / 91.4	83.0 / 91.4
Max power, kW @ rpm	165 @ 3,250 - 4,500	165 @ 2,500 - 4,500	190 @ 3,250 - 4,500
Max torque, Nm @ rpm	500 @ 1,250 - 3,000	550 @ 1,500 - 2,500	580 @ 1,400 - 3,000
Compression ratio	17.0:1	17.0:1	17.0:1
Fuel system	Bosch EDC17 electronic engine control unit	Bosch EDC17 electronic engine control unit	Bosch EDC17 electronic engine control unit
Exhaust emission control	Water-cooled exhaust gas recirculation (EGR), catalytic converter and diesel particulate filter (DPF)	Water-cooled exhaust gas recirculation (EGR), catalytic converter and diesel particulate filter (DPF)	Water-cooled exhaust gas recirculation (EGR), catalytic converter and diesel particulate filter (DPF)
Fuel type (Recommended)	Diesel EN 590	Diesel EN 590	Diesel EN 590
Fuel tank capacity, litres	80	80	80
Battery	520 Amp 92Ah (AGM)	520 Amp 92Ah (AGM)	520 Amp 92Ah (AGM)
Transmission	6 Speed Manual	8 Speed Automatic	8 Speed Automatic
Driven wheels	4x4 (4MOTION) Selectable	4x4 (4MOTION) Permanent	4x4 (4MOTION) Permanent
Gear Ratio	1st Gear: 5.070 2nd Gear: 2.614 3rd Gear: 1.524 4th Gear: 1.000 5th Gear: 0.770 6th Gear: 0.657 Reverse Gear: 4.823	1st Gear: 4.714 2nd Gear: 3.143 3rd Gear: 2.106 4th Gear: 1.667 5th Gear: 1.285 6th Gear: 1.00 7th Gear: 0.839 8th Gear: 0.667 Reverse Gear: 3.317	1st Gear: 4.714 2nd Gear: 3.143 3rd Gear: 2.106 4th Gear: 1.667 5th Gear: 1.285 6th Gear: 1.00 7th Gear: 0.839 8th Gear: 0.667 Reverse Gear: 3.317
Fuel Consumption**			
Combined, L/100km	9.7	9.1	8.9
Urban, L/100km	11.4	10.6	9.6
Extra Urban, L/100km	8.6	8.3	8.5
CO ₂ emission, g/km		240	234

^{**}Fuel consumption figures according to Australian Design Rule (ADR) 81/02 derived from laboratory testing. Factors including but not limited to driving style, road and traffic conditions, environmental influences, vehicle condition and accessories fitted, will in practice in the real world lead to figures which generally differ from those advertised. Advertised figures are meant for comparison amongst vehicles only.

Technical Specification

Chassis

Full-length ladder frame chassis in high strength steel Fully galvanised body with 6 year anti-corrosion perforation warranty


Running Gear


Suspension		
Front axle	Transverse link with A-frame arm double wishbone and anti-roll bar	
Rear axle	Multi-layer rigid axle with leaf spring and stabiliser bar	
Steering	Power assisted rack & pinion steering (Hydralic)	
Brake size		
Front, mm	332, Ventilated Discs	
Rear, mm	300, Ventilated Discs	
Brake systems	ESP, off-road ABS, ASR, EDL, Hill Holder, Brake Assist, Traction Control and Off-Road ABS including Hill Decent	
Turning circle, metres	12.95	
Towbar Capacity≠		
Braked kg (TDI500)	3,500 (3,000)	
Unbraked kg	750	
Towbar load limit kg	300	


#When fitted with Volkswagen Genuine Tow Bar. Towing capacities are applicable to Volkswagen Genuine Accessory Tow Bar. Towing capacity figures are maximum figures and actual towing capacity depends on factors including the laden mass of the vehicle, driving conditions and fitment of any accessories. Volkswagen Group Australia does not endorse or will not be held liable for any claim, loss or damage arising from the use or fitment of electronic trailer brakes.

Figures in (brackets) relate to Amarok V6 Core with manual transmission only

Measurements and Dimensions







^{*}Height shown without sports bar.

Measurements and Dimensions

Weights [^]	3.0 litre V6 (TDI500)/TDI550/TDI580
Unladen Mass¹ Kgʻs	
Core	2,091 (2,076)
Sportline	2,104
Highline	2,147
Highline 580 black	2,209
Ultimate	2,244
Payload [‡] kg	
Core	989 (1,004)
Sportline	976
Highline	933
Highline 580 black	871
Ultimate	836
Gross Vehicle Mass (GVM) kg	3,080
Gross Combined Mass (GCM) kg	6,000 (5,550)
Roof load kg	100
Exterior Dimensions^	
Overall length mm	5,264
Width mm	1,954
Width incl. mirrors mm	2,228
Height, mm (HL)	1,878^
Height, mm (SL / UL / Core / HL black)	1,834
Wheelbase mm	3,095
Ground clearance, mm	192
Entry angle	28.0°
Departure angle	23.6°
Ramp angle	23.0°
Wading depth, mm	500
Track mm	
Front**	1,654
Rear**	1,658
Tray Dimensions^#	
Length, mm	1,555
Width mm (Max.)	1,620
Width mm (between wheel arches)	1,222
Tail gate opening mm (Max.)	1,364
Height (tail gate) mm	508
load area m ₂	2.52
Tie down points	4
Height from ground mm	780

‡Payload is defined as the Gross Vehicle Mass (GVM) minus the Kerb Mass. Payload is the maximum combined weight of occupants, cargo, added structures and tow ball down weight (when towing). GVM must not be exceeded.

#Please note figures are sourced from overseas data where equipment levels by model variant may vary. Figures in (brackets) relate to Amarok V6 Core with manual transmission only.

[^]Including styling bar.

1. The Unladen Mass (UM) includes 10L of fuel, vehicle fluids and no occupants. Figures quoted are for base model vehicles only.

^{**}Track figures are based on rim off-set of 45.

Colours

Solid paint finishes



Candy White | Solid paint finish | B4B4



Tornado Red* | Solid paint finish | G2G2
*Not available on Amarok V6 Core

Matte paint finish



Ravenna Blue*+ | Matte paint finish | 9547 *Available on Amarok V6 Ultimate only.



Indium Grey* | Matte paint finish | 9709 *Available on Amarok V6 Ultimate only.

Metallic and Pearlescent paint finishes



Mojave Beige | Metallic paint finish | 1B1B



Ravenna Blue* | Metallic paint finish | 5Z5Z *Available on Amarok V6 Ultimate/ HL black only.



Indium Grey | Metallic paint finish | X3X3



Reflex Silver | Metallic paint finish | 8E8E



Starlight Blue | Metallic paint finish | 3S3S



Deep Black | Pearl paint finish | 2T2T



Peakcock Green Metallic | Metallic paint finish | 8U8U *Available on Amarok V6 Ultimate only.

Seat upholstery



Austin
Cloth seat upholstery I Titanium Black and
Moon Rock Grey



Salipra Cloth seat upholstery | Palladium



Vienna Leather seat upholstery# | Palladium



Micro-fibre Cloth seat upholstery I Titanium black



Nappa Leather seat upholstery# | Black with seams in Ceramique

[#]Leather appointed seats have a combination of genuine and artificial leather, but are not wholly leather.

⁺Matte paint requires special care. If matte paint is not cleaned and maintained properly, the finish may be altered or damaged.

Please note that Metallic, Matte and Pearl affect paint are optional at additional cost. The print process does not allow for exact reproduction of the exterior or the upholstery colours. Not all colours are available with optional body coloured bumpers and/or roof height increases. Please contact your Volkswagen Dealer for further information on colours and upholstery combinations.

The Amarok V6

Volkswagen Group Australia Pty Ltd 24 Muir Road Chullora NSW 2190 ABN 14 093 117 876

Printed in Australia November 2019 www.volkswagen.com.au

Publication: VWCAMARV6SLSPECMY20

Important information

Apple CarPlay®is a registered trade mark of Apple Inc. Android Auto™ is a registered trade mark of Google Inc. MirrorLink® is a registered trade mark of Car Connectivity Consortium LLC. Bluetooth® is a registered trade mark of Bluetooth SIG Inc.

Volkswagen is distributed by Volkswagen Group Australia Pty Ltd (ABN 14 093 117 876) of 24 Muir Road Chullora, NSW 2190. Specifications are as planned at November 2019 for model year 2020 and are subject to change without notice or obligation. All information is this brochure are correct at the time of publication, however variations may occur from time to time and Volkswagen, in so far as it is permitted by law to do so, shall not be liable in any way as a result of any reliance by any person on anything contained in this brochure. Authorised Volkswagen Dealers will provide up-to-date information on model application, design feature, prices, and availability on request.